

260	61	2.2	1.7	1.5	1.4		
260.1	61	1.9	1.6	1.8	1.6		
260.2	55	1.7	1.5	2.5	1.9		
260.3	27	3.4	2.4	3.2	2.2		
260.4	44	4.5	3.0	2.6	1.9		"ROTONDA"
260.5	62	2.5	1.9	2.1	1.7		
260.6	68	1.9	1.6	1.7	1.5		
260.7	62	2.7	2.0	1.7	1.5		
260.8	60	2.9	2.1	1.8	1.5		
260.9	61	1.3	1.3	1.6	1.5		"PK 261"
261	61	1.1	1.2	1.0	1.2		
261.1	61	1.7	1.5	1.9	1.6		
261.2	61	1.0	1.2	1.1	1.2		
261.3	61	1.1	1.2	1.2	1.2		
261.4	61	0.9	1.1	0.9	1.1		
261.5	61	0.9	1.1	1.2	1.3		
261.6	61	0.9	1.1	1.0	1.2		
261.7	60	0.9	1.1	1.1	1.2		
261.8	60	0.9	1.1	1.2	1.2		
261.9	60	1.0	1.2	1.3	1.3		"PK 262"
262	61	1.0	1.2	1.2	1.2		
262.1	61	1.0	1.2	1.2	1.2		
262.2	61	1.2	1.3	1.1	1.2		
262.3	60	1.1	1.2	0.9	1.1		
262.4	61	1.1	1.2	1.3	1.3		
262.5	61	1.0	1.1	1.1	1.2		
262.6	61	1.2	1.2	1.3	1.3		
262.7	61	0.9	1.1	1.2	1.2		
262.8	60	1.0	1.1	1.2	1.2		
262.9	61	1.1	1.2	1.2	1.2		"PK 263"
263	61	1.1	1.2	1.2	1.3		
263.1	60	0.9	1.1	1.3	1.3		
263.2	60	1.0	1.1	1.3	1.3		
263.3	60	1.0	1.2	1.3	1.3		
263.4	61	0.9	1.1	0.8	1.1		
263.5	61	1.0	1.1	1.2	1.2		
263.6	61	1.5	1.4	1.7	1.5		
263.7	61	1.1	1.2	1.1	1.2		
263.8	60	1.1	1.2	1.1	1.2		"ALCANTARILLA"
263.9	61	0.9	1.1	0.8	1.1		
264	61	1.0	1.1	0.9	1.1		
264.1	61	0.8	1.1	1.0	1.2		
264.2	61	0.8	1.1	1.1	1.2		
264.3	61	1.3	1.3	1.1	1.2		
264.4	61	0.9	1.1	1.0	1.2		
264.5	61	0.9	1.1	1.0	1.2		
264.6	60	1.0	1.1	1.2	1.2		
264.7	61	0.9	1.1	1.0	1.2		
264.8	61	0.8	1.0	0.9	1.1		
264.9	61	0.8	1.1	0.9	1.1		"PK 265"
265	61	1.0	1.2	0.9	1.1		
265.1	61	0.9	1.1	1.2	1.2		
265.2	61	1.3	1.3	1.1	1.2		
265.3	61	1.5	1.4	2.4	1.8		
265.4	60	2.0	1.6	2.3	1.8		
265.5	60	2.0	1.6	1.4	1.3		
265.6	61	1.8	1.5	1.5	1.4		"RETORNO"
265.7	61	1.7	1.5	1.5	1.4		
265.8	60	1.8	1.5	2.2	1.7		
265.9	60	1.0	1.2	1.4	1.4		"PK 266"

266	61	1.2	1.2	1.5	1.4		
266.1	61	0.9	1.1	1.0	1.1		
266.2	61	1.0	1.2	1.2	1.2		
266.3	61	1.0	1.1	1.2	1.2		
266.4	61	1.2	1.3	1.3	1.3		
266.5	61	1.2	1.3	1.4	1.3		
266.6	61	1.1	1.2	1.3	1.3		
266.7	61	1.3	1.3	1.4	1.4		
266.8	61	1.2	1.3	1.5	1.4		"PK 267"
266.9	61	1.5	1.4	1.8	1.5		
267	61	1.1	1.2	1.3	1.3		
267.1	61	1.0	1.2	1.3	1.3		
267.2	61	1.0	1.1	1.2	1.2		
267.3	61	0.9	1.1	1.0	1.2		
267.4	60	1.0	1.2	1.0	1.2		
267.5	60	1.0	1.2	1.0	1.2		
267.6	60	0.8	1.1	1.0	1.2		
267.7	61	1.1	1.2	1.3	1.3		
267.8	61	1.0	1.1	1.0	1.2		
267.9	61	0.9	1.1	0.9	1.1		
268	61	0.9	1.1	1.1	1.2		
268.1	61	1.0	1.1	1.1	1.2		
268.2	61	1.3	1.3	1.2	1.3		
268.3	61	1.3	1.3	1.2	1.2		
268.4	61	1.1	1.2	1.2	1.3		
268.5	61	0.7	1.0	0.8	1.1		
268.6	61	1.1	1.2	1.2	1.2		
268.7	61	1.4	1.3	1.4	1.4		
268.8	61	1.0	1.2	1.2	1.2		"PK 269"
268.9	61	0.9	1.1	1.1	1.2		
269	61	0.9	1.1	1.0	1.2		
269.1	60	0.8	1.1	1.0	1.2		
269.2	60	1.1	1.2	1.4	1.3		
269.3	61	1.0	1.2	1.4	1.3		
269.4	61	1.0	1.2	1.3	1.3		
269.5	61	1.1	1.2	1.4	1.3		
269.6	61	1.2	1.2	1.7	1.5		
269.7	61	0.9	1.1	1.2	1.2		
269.8	61	1.0	1.1	1.2	1.3		"PK 270"
269.9	60	1.0	1.2	1.4	1.3		
270	60	1.0	1.2	1.2	1.2		
270.1	60	1.2	1.3	1.6	1.4		
270.2	61	0.9	1.1	1.0	1.2		
270.3	61	1.1	1.2	1.3	1.3		
270.4	61	1.1	1.2	1.0	1.1		
270.5	61	1.1	1.2	1.1	1.2		
270.6	61	1.0	1.1	1.3	1.3		
270.7	60	0.9	1.1	1.2	1.3		
270.8	61	1.0	1.2	1.2	1.2		"PK 271"
270.9	61	1.2	1.3	1.2	1.2		
271	61	1.1	1.2	1.0	1.2		
271.1	61	1.0	1.1	1.1	1.2		
271.2	60	1.2	1.3	1.2	1.3		
271.3	61	1.1	1.2	1.4	1.3		
271.4	61	1.5	1.4	1.3	1.3		
271.5	61	1.2	1.2	1.4	1.4		
271.6	61	1.0	1.1	1.2	1.2		
271.7	60	1.2	1.2	1.4	1.4		
271.8	61	1.2	1.2	1.6	1.4		
271.9	60	1.1	1.2	1.0	1.2		"PK 272"

272	60	1.0	1.2	1.2	1.2		
272.1	61	0.8	1.1	1.0	1.2		
272.2	61	0.9	1.1	1.1	1.2		
272.3	61	1.1	1.2	1.2	1.3		
272.4	61	1.0	1.2	1.2	1.2		
272.5	61	1.2	1.2	1.2	1.2		
272.6	61	0.9	1.1	1.2	1.3		
272.7	61	1.1	1.2	1.2	1.3		
272.8	61	1.8	1.5	1.6	1.5		"PK 273"
272.9	60	2.0	1.6	1.9	1.6		
273	60	1.5	1.4	1.7	1.5		
273.1	60	1.6	1.4	1.8	1.5		
273.2	61	1.9	1.6	1.6	1.4		
273.3	61	1.3	1.3	1.1	1.2		
273.4	60	1.3	1.3	1.2	1.2		
273.5	60	1.4	1.3	1.4	1.3		
273.6	60	1.4	1.3	1.5	1.4		
273.7	60	1.7	1.5	1.6	1.5		
273.8	60	2.0	1.6	1.7	1.5		
273.9	60	1.5	1.4	1.4	1.4		
274	61	1.7	1.5	1.5	1.4		
274.1	61	2.0	1.6	1.8	1.5		
274.2	61	1.2	1.2	1.3	1.3		
274.3	61	1.2	1.2	1.4	1.3		
274.4	61	1.2	1.2	1.4	1.4		
274.5	60	1.6	1.4	1.6	1.4		
274.6	61	1.2	1.3	1.2	1.2		
274.7	61	1.3	1.3	1.4	1.3		
274.8	61	1.1	1.2	1.1	1.2		
274.9	61	1.2	1.3	1.3	1.3		
275	61	1.4	1.3	1.5	1.4		
275.1	61	1.4	1.3	1.4	1.4		
275.2	61	1.9	1.6	2.0	1.6		
275.3	55	2.9	2.1	2.5	1.9		"ZONA DE PEAJE"
275.4	43	3.0	2.1	3.5	2.4		
275.5	25	5.5	3.8	5.0	3.4		"FIN ZONA DE PEAJE"
275.6	55	1.7	1.5	1.8	1.6		
275.7	60	2.3	1.8	2.2	1.7		
275.8	60	1.2	1.3	1.2	1.2		
275.9	60	1.3	1.3	1.3	1.3		"PK 276"
276	60	1.3	1.3	1.4	1.3		
276.1	60	1.4	1.3	1.4	1.3		
276.2	61	1.6	1.4	1.4	1.3		
276.3	61	1.2	1.2	1.1	1.2		
276.4	60	1.8	1.5	1.8	1.5		
276.5	61	1.5	1.4	1.6	1.4		
276.6	61	1.3	1.3	1.5	1.4		
276.7	61	1.3	1.3	1.4	1.3		
276.8	60	1.7	1.5	1.5	1.4		"PK 277"
276.9	60	1.5	1.4	1.5	1.4		
277	61	1.3	1.3	1.2	1.2		
277.1	61	1.4	1.3	1.4	1.4		
277.2	61	1.2	1.2	1.2	1.3		
277.3	60	1.3	1.3	1.5	1.4		
277.4	60	1.4	1.3	1.5	1.4		
277.5	61	1.7	1.5	1.5	1.4		
277.6	61	1.7	1.5	2.0	1.6		
277.7	61	1.5	1.4	1.5	1.4		
277.8	61	1.3	1.3	1.4	1.3		
277.9	61	1.6	1.4	2.1	1.7		

278	61	1.5	1.4	1.7	1.5		
278.1	61	1.5	1.4	1.5	1.4		
278.2	61	1.5	1.4	2.0	1.6		
278.3	61	1.6	1.4	1.5	1.4		
278.4	61	1.3	1.3	1.2	1.2		
278.5	61	1.5	1.4	1.7	1.5		
278.6	61	2.5	1.9	2.0	1.6		
278.7	60	2.6	2.0	2.2	1.7		"FFCC"
278.8	60	2.0	1.6	1.7	1.5		
278.9	61	1.5	1.4	1.2	1.3		"PK 279"
279	61	1.6	1.5	2.0	1.6		
279.1	61	1.3	1.3	1.1	1.2		
279.2	61	2.3	1.8	2.3	1.8		
279.3	60	1.5	1.4	1.3	1.3		
279.4	61	1.9	1.6	1.7	1.5		
279.5	61	1.4	1.3	1.5	1.4		
279.6	60	1.2	1.2	1.3	1.3		
279.7	60	1.4	1.3	1.5	1.4		
279.8	61	1.5	1.4	1.6	1.4		"PK 280"
279.9	61	1.4	1.4	1.8	1.5		
280	61	1.3	1.3	1.6	1.4		
280.1	61	1.3	1.3	1.5	1.4		
280.2	61	1.5	1.4	1.6	1.5		
280.3	61	2.2	1.7	2.0	1.6		
280.4	61	2.3	1.8	2.2	1.7		
280.5	60	1.4	1.4	1.2	1.3		
280.6	59	1.3	1.3	1.4	1.3		
280.7	60	1.1	1.2	1.4	1.3		
280.8	60	1.5	1.4	1.7	1.5		"PK 281"
280.9	60	1.4	1.4	1.5	1.4		
281	61	1.3	1.3	1.3	1.3		
281.1	62	1.5	1.4	1.3	1.3		
281.2	61	1.9	1.6	1.5	1.4		
281.3	61	1.9	1.6	1.7	1.5		
281.4	61	1.4	1.3	1.4	1.3		
281.5	60	1.4	1.3	1.9	1.6		
281.6	60	1.4	1.4	1.5	1.4		
281.7	60	1.1	1.2	1.1	1.2		
281.8	61	1.0	1.1	1.0	1.2		"PK 282"
281.9	61	1.2	1.3	1.2	1.2		
282	61	1.6	1.5	1.5	1.4		
282.1	59	1.2	1.2	1.2	1.2		
282.2	61	1.7	1.5	1.3	1.3		
282.3	61	1.9	1.6	1.5	1.4		
282.4	61	1.6	1.5	1.7	1.5		
282.5	60	1.9	1.6	2.0	1.6		"RETORNO"
282.6	61	1.3	1.3	1.2	1.2		
282.7	61	1.5	1.4	1.7	1.5		
282.8	61	1.1	1.2	1.4	1.3		"PK 283"
282.9	60	1.8	1.5	2.2	1.7		
283	60	1.2	1.2	1.2	1.2		
283.1	60	1.2	1.2	1.6	1.5		
283.2	61	1.5	1.4	1.4	1.3		
283.3	60	1.3	1.3	1.8	1.5		
283.4	60	1.4	1.3	1.3	1.3		
283.5	61	1.3	1.3	1.3	1.3		
283.6	61	1.5	1.4	1.5	1.4		
283.7	61	1.5	1.4	1.5	1.4		
283.8	61	1.9	1.6	1.8	1.5		"PK 284"
283.9	61	1.6	1.4	1.2	1.2		

284	61	1.5	1.4	1.4	1.3		
284.1	60	1.5	1.4	1.3	1.3		
284.2	61	2.2	1.7	2.0	1.6		
284.3	61	1.7	1.5	1.6	1.4		
284.4	61	1.4	1.3	1.4	1.3		
284.5	61	1.4	1.4	1.6	1.5		
284.6	60	1.2	1.2	1.2	1.2		
284.7	61	1.3	1.3	1.1	1.2		
284.8	61	1.2	1.3	1.2	1.2		"PK 285"
284.9	61	1.3	1.3	1.3	1.3		
285	61	1.4	1.3	1.5	1.4		
285.1	60	1.4	1.3	1.4	1.3		
285.2	60	1.7	1.5	1.2	1.3		
285.3	60	1.6	1.4	1.3	1.3		
285.4	61	1.3	1.3	1.0	1.2		
285.5	61	1.3	1.3	1.0	1.1		
285.6	61	1.9	1.6	1.8	1.5		
285.7	61	1.3	1.3	1.3	1.3		
285.8	61	1.2	1.2	1.2	1.3		"PK 286"
285.9	61	1.4	1.4	1.1	1.2		
286	61	1.3	1.3	1.1	1.2		
286.1	61	0.9	1.1	1.0	1.2		
286.2	61	1.0	1.2	0.8	1.1		
286.3	61	1.3	1.3	1.1	1.2		
286.4	61	1.2	1.2	1.0	1.2		
286.5	61	1.4	1.3	1.2	1.2		
286.6	60	1.3	1.3	1.1	1.2		
286.7	60	1.1	1.2	1.0	1.2		
286.8	60	1.0	1.2	1.3	1.3		"ALCANTARILLA"
286.9	61	1.1	1.2	0.9	1.1		
287	60	1.8	1.5	1.4	1.3		
287.1	61	1.6	1.4	2.2	1.7		
287.2	61	1.2	1.2	1.3	1.3		
287.3	61	1.2	1.2	1.2	1.2		
287.4	61	1.0	1.1	0.9	1.1		
287.5	61	1.1	1.2	1.0	1.2		
287.6	61	1.4	1.4	1.5	1.4		"RETORNO"
287.7	61	1.1	1.2	1.3	1.3		"PK 288"
287.8	61	1.3	1.3	1.5	1.4		
287.9	61	1.2	1.3	1.3	1.3		
288	61	1.0	1.2	1.0	1.1		
288.1	60	3.9	2.6	3.3	2.3		
288.2	53	4.3	2.9	3.9	2.7		
288.3	58	4.0	2.7	3.7	2.6		
288.4	67	3.3	2.3	3.9	2.7		
288.5	68	4.0	2.7	4.1	2.8		
288.6	62	4.0	2.7	3.9	2.6		"RETORNO"
288.7	61	4.3	2.9	3.8	2.6		
288.8	61	2.3	1.8	2.6	1.9		
288.9	61	3.3	2.3	2.8	2.0		
289	60	1.9	1.6	2.5	1.9		
289.1	60	2.9	2.1	2.5	1.9		
289.2	60	2.0	1.6	2.0	1.6		
289.3	61	2.1	1.7	2.6	1.9		
289.4	61	2.2	1.7	2.3	1.8		
289.5	61	1.9	1.6	2.5	1.9		
289.6	61	2.3	1.8	2.5	1.9		
289.7	61	1.8	1.5	2.0	1.6		
289.8	61	2.1	1.7	2.4	1.8		
289.9	61	2.0	1.6	2.5	1.9		

290	61	2.5	1.9	2.8	2.0		
290.1	60	1.9	1.6	2.4	1.8		"ALCANTARILLA"
290.2	60	1.5	1.4	1.8	1.6		
290.3	61	2.4	1.8	2.3	1.8		
290.4	61	2.1	1.7	2.5	1.9		"ALCANTARILLA"
290.5	61	2.0	1.6	2.3	1.8		
290.6	61	2.1	1.7	2.4	1.8		
290.7	61	1.7	1.5	2.1	1.7		"PK 291"
290.8	61	2.4	1.8	2.4	1.8		
290.9	61	2.1	1.7	2.8	2.0		
291	60	2.0	1.6	2.3	1.8		
291.1	61	2.3	1.8	2.6	1.9		
291.2	61	2.1	1.7	2.2	1.7		
291.3	61	2.0	1.6	2.1	1.7		
291.4	60	2.2	1.7	2.4	1.8		
291.5	60	2.0	1.7	2.5	1.9		
291.6	61	2.4	1.8	2.5	1.9		
291.7	61	1.7	1.5	1.8	1.5		
291.8	61	1.8	1.5	1.8	1.5		
291.9	60	1.5	1.4	1.5	1.4		
292	60	3.0	2.1	3.4	2.3		
292.1	60	3.8	2.6	3.8	2.6		
292.2	61	3.5	2.4	3.9	2.7		"RETORNO"
292.3	61	3.3	2.3	4.0	2.7		
292.4	61	3.5	2.4	3.9	2.6		
292.5	61	2.1	1.7	2.1	1.7		
292.6	60	2.1	1.7	2.6	1.9		
292.7	60	2.1	1.7	2.1	1.7		
292.8	61	1.8	1.5	2.1	1.7		"PK 293"
292.9	61	1.9	1.6	2.1	1.7		
293	61	2.0	1.6	2.5	1.9		
293.1	61	1.9	1.6	2.1	1.7		
293.2	61	1.6	1.4	2.0	1.6		
293.3	61	1.7	1.5	1.7	1.5		
293.4	61	1.6	1.4	1.8	1.5		
293.5	61	2.3	1.8	2.9	2.1		
293.6	61	2.5	1.9	2.8	2.1		
293.7	58	2.5	1.9	3.0	2.1		
293.8	47	4.9	3.3	3.8	2.6		"ROTONDA"
293.9	45	4.2	2.9	4.6	3.1		
294	57	1.7	1.5	1.9	1.6		
294.1	59	1.7	1.5	1.9	1.6		
294.2	60	1.6	1.5	1.8	1.5		"ALCANTARILLA"
294.3	60	1.6	1.4	1.7	1.5		
294.4	60	1.9	1.6	2.1	1.7		
294.5	61	1.8	1.5	1.8	1.5		
294.6	61	2.0	1.6	2.3	1.8		
294.7	61	2.5	1.9	2.8	2.0		"PK 295"
294.8	61	1.8	1.5	2.3	1.8		
294.9	60	2.0	1.6	2.4	1.8		
295	61	2.2	1.7	2.2	1.7		
295.1	61	2.2	1.7	2.0	1.6		
295.2	60	2.5	1.9	2.7	2.0		
295.3	56	2.4	1.8	2.9	2.1		
295.4	47	3.4	2.3	3.6	2.5		
295.5	39	4.8	3.3	4.9	3.3		"ROTONDA"