

RUTA: 0226 FECHA: 13/12/2023
TRAMO: PK 300 - AZUL EMP RN 3
PROVINCIA: BUENOS AIRES DISTRITO: 1
OPERADOR: SENTIDO: Descendente
DISTANCIA ORIG. INICIAL (Km): 299.90 CARRIL: 1
DISTANCIA ORIG. FINAL (Km): 254.70 EQUIPO: 01 - RSP



Dist. Orig. Final (Km)	Velocidad (Km/h)	Huella interna (m/Km)		Huella externa (m/Km)		IRI (m/Km) Huella externa						Eventos
		IRI	BPR	IRI	BPR	0	1	2	3	4	5	
PROMEDIO		1.6	1.5	1.6	1.5							
299.8	62	1.3	1.3	1.1	1.2							"PK 300"
299.7	60	1.1	1.2	1.6	1.5							
299.6	60	1.3	1.3	1.6	1.4							
299.5	60	1.1	1.2	1.2	1.2							
299.4	60	1.3	1.3	1.4	1.4							
299.3	62	1.1	1.2	1.2	1.2							
299.2	61	1.9	1.6	2.0	1.6							
299.1	61	1.8	1.5	2.0	1.6							
299	61	1.2	1.2	1.1	1.2							
298.9	61	1.1	1.2	1.1	1.2							
298.8	59	1.3	1.3	1.3	1.3							
298.7	60	1.3	1.3	1.5	1.4							
298.6	61	1.1	1.2	1.1	1.2							
298.5	61	1.3	1.3	1.4	1.3							
298.4	61	1.1	1.2	1.2	1.2							
298.3	61	1.2	1.2	1.1	1.2							
298.2	61	0.9	1.1	1.2	1.3							
298.1	60	1.2	1.2	1.6	1.4							
298	61	1.6	1.4	1.8	1.5							"PUENTE"
297.9	61	1.6	1.5	1.9	1.6							
297.8	61	1.2	1.2	1.5	1.4							"PK 298"
297.7	60	1.1	1.2	1.1	1.2							
297.6	51	4.9	3.3	4.3	2.9							
297.5	33	4.4	3.0	4.4	3.0							"ROTONDA"
297.4	55	2.5	1.9	2.7	2.0							
297.3	63	1.6	1.4	1.7	1.5							
297.2	59	5.4	3.8	6.5	4.8							
297.1	60	6.9	5.2	7.3	5.8							
297	61	6.2	4.5	6.4	4.7							
296.9	61	5.1	3.5	4.8	3.2							
296.8	61	1.6	1.4	2.1	1.7							"PUENTE"
296.7	61	1.2	1.3	1.6	1.4							"PK 297"
296.6	61	1.0	1.2	1.7	1.5							
296.5	60	1.2	1.2	1.2	1.2							
296.4	60	1.4	1.3	1.3	1.3							
296.3	60	1.3	1.3	1.4	1.3							
296.2	61	1.3	1.3	1.6	1.4							
296.1	61	1.1	1.2	1.3	1.3							
296	61	1.1	1.2	1.7	1.5							
295.9	61	4.0	2.7	4.2	2.8							"PK 296"
295.8	60	4.2	2.8	3.7	2.5							
295.7	55	4.4	3.0	4.4	3.0							
295.6	40	4.6	3.1	5.3	3.6							"ROTONDA"
295.5	56	2.4	1.8	2.3	1.8							
295.4	64	1.0	1.2	1.5	1.4							
295.3	61	1.2	1.3	1.5	1.4							
295.2	60	1.1	1.2	1.4	1.4							
295.1	60	1.5	1.4	1.5	1.4							
295	61	1.4	1.3	1.7	1.5							

294.9	61	1.1	1.2	1.3	1.3		
294.8	61	1.3	1.3	1.7	1.5		
294.7	61	1.4	1.4	1.2	1.3		
294.6	61	1.5	1.4	1.3	1.3		
294.5	61	1.4	1.3	1.5	1.4		
294.4	61	1.4	1.3	2.0	1.6		
294.3	61	2.2	1.7	3.3	2.3		
294.2	61	2.2	1.7	3.4	2.4		
294.1	50	4.9	3.3	5.2	3.5		
294	36	4.3	2.9	4.3	2.9		"ROTONDA"
293.9	52	4.0	2.7	4.1	2.8		
293.8	60	2.2	1.7	2.5	1.9		"PK 294"
293.7	60	1.4	1.3	1.7	1.5		
293.6	60	1.3	1.3	1.7	1.5		
293.5	61	1.3	1.3	1.7	1.5		
293.4	61	1.4	1.3	1.6	1.4		
293.3	61	1.3	1.3	1.9	1.6		
293.2	61	1.5	1.4	2.0	1.6		
293.1	61	1.5	1.4	1.8	1.5		
293	61	1.3	1.3	1.5	1.4		
292.9	61	1.5	1.4	1.7	1.5		"PUENTE"
292.8	61	5.0	3.4	4.9	3.3		
292.7	61	4.3	2.9	4.3	2.9		
292.6	61	3.0	2.1	2.5	1.9		
292.5	61	2.6	1.9	1.9	1.6		
292.4	61	2.1	1.7	1.8	1.5		"RETORNO"
292.3	61	2.5	1.9	2.2	1.7		
292.2	61	2.5	1.9	2.2	1.7		
292.1	60	3.6	2.5	3.3	2.3		
292	60	3.7	2.5	5.0	3.4		
291.9	60	2.6	1.9	2.4	1.8		
291.8	61	1.3	1.3	1.4	1.3		
291.7	61	1.3	1.3	1.5	1.4		
291.6	60	1.3	1.3	1.6	1.4		
291.5	60	1.1	1.2	1.4	1.3		
291.4	60	1.1	1.2	1.4	1.4		
291.3	61	1.2	1.2	1.2	1.3		
291.2	60	1.2	1.2	1.3	1.3		
291.1	60	1.3	1.3	1.3	1.3		
291	61	1.3	1.3	1.4	1.4		
290.9	61	1.6	1.4	1.4	1.3		
290.8	61	1.3	1.3	1.4	1.3		
290.7	61	1.2	1.3	1.5	1.4		
290.6	61	1.3	1.3	1.5	1.4		
290.5	61	1.4	1.4	1.5	1.4		
290.4	61	1.4	1.3	1.8	1.5		
290.3	61	1.3	1.3	1.4	1.3		
290.2	60	1.3	1.3	1.5	1.4		
290.1	60	1.5	1.4	1.4	1.3		
290	60	1.0	1.2	1.2	1.2		
289.9	61	1.0	1.2	1.2	1.3		
289.8	61	1.1	1.2	1.3	1.3		
289.7	61	1.1	1.2	1.4	1.4		
289.6	61	1.0	1.2	1.2	1.2		
289.5	61	1.4	1.3	1.5	1.4		
289.4	61	1.2	1.3	1.7	1.5		
289.3	61	1.3	1.3	1.8	1.5		
289.2	61	2.8	2.0	2.9	2.1		
289.1	61	4.2	2.8	4.2	2.8		
289	60	4.4	2.9	4.6	3.1		

288.9	61	3.3	2.3	2.5	1.9		
288.8	61	2.4	1.8	2.0	1.6		
288.7	61	3.3	2.3	2.9	2.1		
288.6	60	2.3	1.8	1.8	1.5		
288.5	58	2.7	2.0	2.7	2.0		
288.4	45	3.6	2.5	3.4	2.4		"ROTONDA"
288.3	36	3.6	2.5	4.8	3.3		
288.2	40	3.6	2.5	3.9	2.6		
288.1	55	4.2	2.8	5.0	3.4		
288	58	4.2	2.8	4.7	3.2		
287.9	60	4.0	2.7	4.0	2.7		
287.8	61	1.6	1.4	1.9	1.6		
287.7	61	1.3	1.3	1.1	1.2		
287.6	61	1.4	1.3	1.2	1.2		
287.5	60	1.7	1.5	1.4	1.4		
287.4	61	1.1	1.2	1.1	1.2		
287.3	61	1.2	1.3	1.1	1.2		
287.2	61	1.0	1.1	0.9	1.1		
287.1	61	1.1	1.2	1.4	1.3		
287	61	1.1	1.2	1.2	1.2		
286.9	61	1.1	1.2	1.2	1.2		
286.8	60	1.0	1.1	1.0	1.2		
286.7	61	1.2	1.2	1.1	1.2		
286.6	61	1.4	1.3	1.2	1.2		"PK 287"
286.5	61	1.1	1.2	1.1	1.2		
286.4	60	1.8	1.5	1.9	1.6		
286.3	61	1.4	1.3	1.6	1.4		
286.2	61	1.4	1.3	1.2	1.3		
286.1	61	1.1	1.2	1.1	1.2		
286	60	1.1	1.2	0.9	1.1		
285.9	60	1.3	1.3	1.1	1.2		
285.8	60	1.0	1.2	1.2	1.2		
285.7	61	1.0	1.1	1.1	1.2		"PK 286"
285.6	61	1.0	1.2	1.2	1.2		
285.5	61	1.0	1.2	1.1	1.2		
285.4	61	1.2	1.2	1.1	1.2		
285.3	61	1.2	1.2	1.3	1.3		
285.2	61	1.8	1.5	1.9	1.6		
285.1	61	2.2	1.7	2.0	1.6		
285	61	1.7	1.5	1.8	1.5		"RETORNO"
284.9	61	1.4	1.3	1.4	1.3		
284.8	60	1.8	1.5	1.8	1.5		
284.7	61	1.6	1.4	1.6	1.4		"PK 285"
284.6	61	1.3	1.3	1.3	1.3		
284.5	61	1.5	1.4	1.7	1.5		
284.4	61	1.2	1.2	1.0	1.1		
284.3	60	1.9	1.6	2.0	1.6		
284.2	60	1.4	1.3	1.5	1.4		
284.1	61	1.3	1.3	1.3	1.3		
284	61	1.1	1.2	1.2	1.3		
283.9	60	0.9	1.1	1.1	1.2		
283.8	60	1.6	1.4	1.7	1.5		
283.7	61	1.2	1.2	1.2	1.2		"PK 284"
283.6	61	1.1	1.2	0.9	1.1		
283.5	61	1.2	1.3	1.2	1.2		
283.4	61	1.6	1.5	1.3	1.3		
283.3	61	2.0	1.6	1.4	1.4		
283.2	61	1.6	1.4	1.2	1.3		
283.1	61	1.4	1.3	1.3	1.3		
283	61	1.7	1.5	1.6	1.4		

282.9	61	1.4	1.4	1.3	1.3		
282.8	60	1.3	1.3	1.2	1.2		
282.7	61	1.3	1.3	1.3	1.3		"PK 283"
282.6	61	1.3	1.3	1.3	1.3		
282.5	60	2.1	1.7	1.7	1.5		
282.4	61	1.2	1.3	1.1	1.2		"RETORNO"
282.3	61	1.4	1.3	0.9	1.1		
282.2	61	1.5	1.4	1.4	1.3		
282.1	61	1.5	1.4	1.4	1.3		
282	61	1.5	1.4	1.1	1.2		
281.9	60	1.5	1.4	1.1	1.2		
281.8	60	1.7	1.5	1.1	1.2		
281.7	62	1.5	1.4	1.3	1.3		
281.6	61	1.2	1.2	1.0	1.2		"PK 282"
281.5	61	1.4	1.3	1.3	1.3		
281.4	60	1.2	1.2	1.3	1.3		
281.3	60	1.4	1.3	1.5	1.4		
281.2	61	1.2	1.2	1.3	1.3		
281.1	61	1.5	1.4	1.3	1.3		
281	61	1.6	1.4	1.5	1.4		
280.9	61	1.8	1.5	1.4	1.3		
280.8	61	1.6	1.5	1.6	1.4		
280.7	59	1.9	1.6	1.9	1.6		"PK 281"
280.6	60	2.0	1.6	2.0	1.6		
280.5	61	1.6	1.5	1.6	1.4		
280.4	60	1.2	1.2	1.3	1.3		
280.3	61	1.3	1.3	1.2	1.2		
280.2	62	1.5	1.4	1.5	1.4		
280.1	61	1.8	1.5	1.7	1.5		
280	60	1.5	1.4	1.3	1.3		
279.9	60	2.2	1.7	2.1	1.7		
279.8	60	1.7	1.5	1.8	1.5		
279.7	61	1.5	1.4	1.6	1.4		"PK 280"
279.6	61	1.8	1.5	1.8	1.5		
279.5	61	1.8	1.5	1.6	1.4		
279.4	61	1.8	1.6	1.5	1.4		
279.3	60	1.8	1.5	1.5	1.4		
279.2	60	1.9	1.6	1.8	1.5		
279.1	60	1.7	1.5	1.6	1.5		
279	60	1.7	1.5	1.8	1.5		
278.9	61	2.2	1.7	2.1	1.7		
278.8	61	1.6	1.4	1.6	1.4		
278.7	61	1.8	1.5	1.6	1.4		"PK 279"
278.6	61	1.8	1.5	1.6	1.5		
278.5	61	2.1	1.7	1.9	1.6		
278.4	61	2.0	1.6	1.5	1.4		
278.3	61	1.7	1.5	1.4	1.4		
278.2	61	1.7	1.5	1.5	1.4		
278.1	61	1.8	1.5	1.5	1.4		
278	61	2.2	1.7	1.9	1.6		
277.9	60	1.6	1.5	1.7	1.5		
277.8	61	2.2	1.7	2.2	1.7		
277.7	61	1.8	1.5	2.1	1.7		
277.6	60	1.3	1.3	1.5	1.4		
277.5	61	2.2	1.7	1.7	1.5		
277.4	61	1.2	1.2	1.2	1.2		
277.3	61	1.0	1.1	0.9	1.1		
277.2	61	1.1	1.2	1.2	1.2		
277.1	60	1.1	1.2	1.2	1.2		
277	61	1.1	1.2	1.2	1.2		

276.9	61	1.2	1.2	1.2	1.3		
276.8	60	1.9	1.6	1.6	1.4		
276.7	61	1.5	1.4	1.9	1.6		"PK 277"
276.6	61	1.1	1.2	1.2	1.2		
276.5	61	1.4	1.3	1.3	1.3		
276.4	60	1.5	1.4	1.6	1.4		
276.3	61	1.0	1.2	1.2	1.2		
276.2	61	1.1	1.2	1.4	1.4		
276.1	61	1.3	1.3	1.6	1.4		
276	61	1.1	1.2	1.3	1.3		
275.9	60	1.1	1.2	1.2	1.2		
275.8	60	2.0	1.6	1.8	1.5		
275.7	60	1.7	1.5	1.6	1.4		"PK 276"
275.6	60	1.9	1.6	1.9	1.6		
275.5	54	3.2	2.2	3.1	2.2		"ZONA DE PEAJE"
275.4	27	4.3	2.9	4.1	2.8		
275.3	37	4.2	2.8	3.9	2.7		
275.2	61	1.5	1.4	1.5	1.4		"FIN ZONA DE PEAJE"
275.1	62	1.3	1.3	1.7	1.5		
275	60	2.0	1.6	1.9	1.6		
274.9	60	1.5	1.4	1.2	1.2		
274.8	60	1.3	1.3	1.3	1.3		
274.7	61	1.7	1.5	1.5	1.4		"PK 275"
274.6	61	1.1	1.2	1.0	1.1		
274.5	61	1.4	1.3	1.3	1.3		
274.4	61	1.6	1.4	1.5	1.4		
274.3	61	1.1	1.2	1.2	1.3		
274.2	61	1.1	1.2	1.3	1.3		
274.1	61	1.2	1.2	1.1	1.2		
274	61	1.2	1.3	1.5	1.4		
273.9	61	1.0	1.2	1.0	1.2		
273.8	61	1.0	1.2	1.0	1.2		
273.7	61	1.1	1.2	1.1	1.2		"PK 274"
273.6	61	1.1	1.2	1.3	1.3		
273.5	60	1.3	1.3	1.3	1.3		
273.4	61	1.0	1.1	1.0	1.2		
273.3	61	1.3	1.3	1.5	1.4		
273.2	61	1.2	1.2	1.0	1.2		
273.1	61	1.1	1.2	1.2	1.2		
273	61	1.3	1.3	1.1	1.2		
272.9	61	0.9	1.1	1.0	1.1		
272.8	61	1.0	1.1	1.0	1.2		
272.7	61	2.3	1.8	1.6	1.5		"PK 273"
272.6	60	1.6	1.4	1.1	1.2		
272.5	61	1.6	1.4	1.1	1.2		
272.4	61	1.5	1.4	1.0	1.1		
272.3	60	1.6	1.4	1.2	1.2		
272.2	61	1.3	1.3	1.0	1.2		
272.1	60	1.6	1.4	1.2	1.3		
272	61	1.4	1.3	1.3	1.3		
271.9	61	1.3	1.3	0.9	1.1		
271.8	61	1.3	1.3	0.9	1.1		
271.7	61	2.0	1.6	1.9	1.6		
271.6	60	1.3	1.3	1.8	1.5		
271.5	60	1.5	1.4	1.5	1.4		
271.4	61	1.2	1.2	2.0	1.6		
271.3	61	1.5	1.4	1.5	1.4		
271.2	61	1.9	1.6	1.7	1.5		
271.1	61	1.0	1.2	0.8	1.1		
271	61	1.2	1.2	1.0	1.1		

270.9	60	1.0	1.2	1.2	1.2		
270.8	61	1.3	1.3	1.0	1.1		
270.7	61	1.7	1.5	1.5	1.4		"PK 271"
270.6	61	1.4	1.3	1.3	1.3		
270.5	61	1.3	1.3	1.2	1.3		
270.4	61	1.2	1.2	1.2	1.2		
270.3	61	1.8	1.5	2.0	1.6		
270.2	60	1.4	1.3	1.7	1.5		
270.1	61	1.2	1.2	1.1	1.2		
270	61	1.1	1.2	1.3	1.3		
269.9	60	1.4	1.3	1.7	1.5		
269.8	60	1.3	1.3	1.6	1.4		
269.7	60	0.9	1.1	1.2	1.3		"PK 270"
269.6	61	1.4	1.3	1.6	1.4		
269.5	61	1.4	1.4	1.7	1.5		
269.4	61	1.4	1.3	1.7	1.5		
269.3	61	1.5	1.4	1.8	1.5		
269.2	60	1.4	1.3	1.5	1.4		
269.1	61	1.6	1.4	1.6	1.5		
269	61	1.4	1.3	1.5	1.4		
268.9	61	1.8	1.5	1.7	1.5		
268.8	60	1.6	1.4	1.5	1.4		
268.7	61	1.2	1.2	1.0	1.1		"PK 269"
268.6	61	1.4	1.3	1.3	1.3		
268.5	61	1.1	1.2	0.9	1.1		
268.4	61	1.0	1.2	0.9	1.1		
268.3	61	1.5	1.4	0.9	1.1		
268.2	60	1.4	1.3	1.1	1.2		
268.1	61	1.1	1.2	1.2	1.3		
268	61	1.2	1.2	1.5	1.4		
267.9	61	1.1	1.2	1.1	1.2		
267.8	61	1.1	1.2	1.1	1.2		
267.7	61	1.2	1.2	1.7	1.5		"PK 268"
267.6	61	1.2	1.3	1.3	1.3		
267.5	61	1.2	1.2	1.2	1.2		
267.4	61	0.9	1.1	1.0	1.1		
267.3	61	1.4	1.3	1.2	1.2		
267.2	61	0.9	1.1	0.9	1.1		
267.1	61	1.2	1.2	0.9	1.1		
267	61	1.1	1.2	1.2	1.3		
266.9	61	1.1	1.2	1.3	1.3		
266.8	61	1.2	1.2	1.4	1.3		
266.7	61	1.1	1.2	1.3	1.3		"PK 267"
266.6	61	1.3	1.3	1.7	1.5		
266.5	61	1.3	1.3	1.0	1.1		
266.4	61	1.2	1.2	1.0	1.1		
266.3	61	1.1	1.2	0.9	1.1		
266.2	61	1.1	1.2	1.0	1.2		"ALCANTARILLA"
266.1	61	0.9	1.1	1.1	1.2		
266	61	1.1	1.2	1.1	1.2		
265.9	61	1.2	1.3	1.0	1.2		
265.8	61	1.0	1.2	1.0	1.1		
265.7	61	1.3	1.3	1.0	1.2		"PK 266"
265.6	61	1.6	1.4	1.6	1.4		
265.5	61	1.4	1.3	1.4	1.3		"RETORNO"
265.4	61	2.5	1.9	1.9	1.6		
265.3	61	1.1	1.2	1.8	1.5		
265.2	61	1.7	1.5	1.7	1.5		
265.1	61	1.4	1.4	1.5	1.4		
265	61	1.4	1.3	1.2	1.3		

264.9	61	2.0	1.6	1.5	1.4		
264.8	60	1.3	1.3	0.9	1.1		
264.7	61	1.1	1.2	0.9	1.1		"PK 265"
264.6	61	1.1	1.2	0.9	1.1		
264.5	61	1.1	1.2	1.1	1.2		
264.4	61	1.0	1.1	0.9	1.1		
264.3	61	1.2	1.2	1.3	1.3		
264.2	61	1.5	1.4	1.2	1.3		
264.1	61	1.0	1.1	0.8	1.1		
264	61	1.0	1.1	1.1	1.2		
263.9	60	0.9	1.1	1.0	1.1		
263.8	61	0.8	1.1	0.9	1.1		
263.7	61	1.3	1.3	1.0	1.1		"PK 264"
263.6	61	1.3	1.3	0.9	1.1		
263.5	61	1.3	1.3	1.0	1.2		
263.4	61	1.2	1.3	1.3	1.3		
263.3	61	1.4	1.3	1.1	1.2		
263.2	61	1.1	1.2	1.1	1.2		
263.1	61	1.4	1.3	0.9	1.1		
263	60	1.3	1.3	1.2	1.2		
262.9	61	1.3	1.3	1.2	1.3		
262.8	61	1.4	1.3	1.1	1.2		
262.7	61	1.3	1.3	0.9	1.1		"PK 263"
262.6	61	1.5	1.4	1.0	1.1		
262.5	61	1.2	1.3	0.9	1.1		
262.4	61	1.6	1.4	1.2	1.3		
262.3	61	1.4	1.4	1.0	1.1		
262.2	61	1.2	1.3	0.9	1.1		
262.1	60	1.2	1.3	0.9	1.1		
262	60	1.4	1.3	0.9	1.1		
261.9	61	1.6	1.4	1.1	1.2		
261.8	61	1.6	1.5	1.1	1.2		"PK 262"
261.7	61	2.1	1.7	1.2	1.3		
261.6	61	1.5	1.4	1.2	1.3		
261.5	60	1.8	1.5	1.4	1.3		
261.4	61	2.0	1.6	1.2	1.2		
261.3	61	2.1	1.7	1.5	1.4		
261.2	61	2.2	1.7	1.1	1.2		
261.1	61	1.5	1.4	1.1	1.2		
261	61	1.3	1.3	1.2	1.2		
260.9	60	1.7	1.5	1.7	1.5		
260.8	60	1.1	1.2	1.3	1.3		"PK 261"
260.7	60	2.2	1.7	1.6	1.4		
260.6	60	2.7	2.0	3.2	2.3		
260.5	61	2.4	1.8	3.0	2.1		
260.4	61	2.9	2.1	2.3	1.8		
260.3	61	2.1	1.7	2.2	1.7		"ROTONDA"
260.2	61	2.3	1.8	2.0	1.6		
260.1	61	3.1	2.2	2.7	2.0		
260	60	1.3	1.3	1.5	1.4		
259.9	60	1.1	1.2	1.4	1.3		
259.8	61	1.0	1.1	1.0	1.1		"PK 260"
259.7	61	1.0	1.1	1.1	1.2		
259.6	61	0.9	1.1	0.8	1.1		
259.5	61	0.9	1.1	0.9	1.1		
259.4	61	1.4	1.3	1.1	1.2		
259.3	61	1.0	1.2	0.9	1.1		
259.2	61	1.1	1.2	0.9	1.1		
259.1	61	1.0	1.2	0.8	1.1		
259	61	1.2	1.2	1.1	1.2		

258.9	61	1.0	1.2	1.0	1.2		
258.8	61	0.9	1.1	1.0	1.2		"PK 259"
258.7	60	1.3	1.3	1.4	1.3		
258.6	61	0.9	1.1	0.7	1.0		
258.5	61	1.3	1.3	0.9	1.1		
258.4	61	1.1	1.2	0.9	1.1		
258.3	61	1.1	1.2	0.9	1.1		
258.2	61	1.2	1.2	1.0	1.1		
258.1	61	1.3	1.3	1.1	1.2		
258	61	1.1	1.2	0.9	1.1		
257.9	61	1.0	1.2	0.9	1.1		
257.8	61	1.6	1.4	1.1	1.2		"PK 258"
257.7	61	1.4	1.3	1.0	1.1		
257.6	60	1.0	1.2	0.8	1.1		
257.5	60	1.4	1.3	1.5	1.4		
257.4	61	1.1	1.2	0.9	1.1		
257.3	61	1.3	1.3	0.9	1.1		
257.2	61	1.1	1.2	0.9	1.1		
257.1	61	1.0	1.2	1.0	1.1		
257	61	1.5	1.4	1.3	1.3		
256.9	61	1.1	1.2	0.9	1.1		
256.8	61	1.2	1.2	0.9	1.1		"PK 257"
256.7	61	1.2	1.2	0.8	1.1		
256.6	61	1.1	1.2	0.8	1.0		
256.5	61	1.0	1.2	1.0	1.1		
256.4	61	1.2	1.2	1.2	1.2		
256.3	61	1.2	1.2	1.0	1.2		
256.2	61	1.2	1.2	0.9	1.1		
256.1	61	1.0	1.2	0.9	1.1		
256	60	1.2	1.3	1.0	1.2		
255.9	60	1.3	1.3	1.3	1.3		
255.8	61	1.3	1.3	1.2	1.2		"PK 256"
255.7	61	1.2	1.3	1.5	1.4		
255.6	61	1.5	1.4	1.3	1.3		
255.5	61	1.2	1.2	1.0	1.2		
255.4	61	1.4	1.4	1.4	1.3		
255.3	61	1.1	1.2	1.5	1.4		
255.2	61	1.7	1.5	1.4	1.3		
255.1	60	1.4	1.3	1.4	1.3		
255	61	1.5	1.4	1.5	1.4		
254.9	60	3.2	2.2	2.7	2.0		"PUENTE "
254.8	54	2.1	1.7	2.1	1.7		
254.7	44	3.8	2.6	3.6	2.5		"EMP RN 3"